

Assembly Instructions

Rayo / Portico / Trevi 4 Seat Round Dining Table (Product Codes: 68902149/60902096/60902099)

PLEASE RETAIN THIS DOCUMENT ALONG WITH YOUR PROOF OF PURCHASE FOR FUTURE

Congratulations on your recent purchase of your beautiful Hartman furniture. We hope it brings you countless special moments with friends and family for many years to come.

Please follow these simple steps to build your furniture. We also have a very useful video available online to assist with the assembly, please visit www.hartmanuk.com


TOP TIPS

- Please read these instructions carefully before assembly, for further assistance please view our assembly video online for an easy step by step demonstration.
- Aluminium is a soft metal and over tightening may strip the thread or break the part, please loosely assembly your furniture before tightening to secure.
- Please do not use power tools, please use the Allen key provided in the bolt pack.
- Please allow 1 hour for assembly.
- This furniture can be assembled with **1** person; however, you may need someone to assist you when turning the furniture over into position.


PARTS LIST

Compon	ents			Fixings					
Parts List	Parts Picture	Description	Qty	Part no	Parts List	Parts Picture	Description	Qty	Part no
А		Table Top	1	68902149A 60902096A 60902099A	D		M6*20 Bolts	8	1091162
В	X	Left Leg Frame	1	68902149A 60902096A 60902099A	E	0	M6 Flat Washers	8	1061166
С	X	Right Leg Frame	1	68902149A 60902096A 60902099A	F		Allen Key	1	2002191
					G	000	Parasol Bungs & Reducers	3	2100050


STEP1 & 2 & 3: LEG ASSEMBLY



STEP 1: Loosely attach left leg frame (B) to table top (A) with big bolts (D) & big flat washers (E), using Allen key (F).



STEP 3: Turn the table over and place in desired position. Place parasol bungs & reducers(G) in the hole on table top. You can now use the table.



STEP 2: Attach right leg frame (C) to table top (A) with big bolts (D) & big flat washers (E), using Allen key (F). Tighten all bolts using Allen key (F) one by one being careful not to over tighten any as this will cause the thread to become damage.